# Barristo Enterprises, Inc., dba SureHold.

## SAFETY DATA SHEET

## Super Repair Instant Adhesive Part A

## **IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY**

**Product Name** Super Repair Instant Adhesive Part A, Adhesive

Part Number 90110

Company Barristo Enterprises, Inc. dba SureHold

3717 N Ravenswood Avenue, Suite 243

Chicago, IL 60613 info@surehold.com www.surehold.com

Telephone + 773-472-8592; Toll Free 800-881-4495

Fax + 773-525-1750

Emergency telephone

800-881-4495 number

## 2. HAZARDS IDENTIFICATION

Main hazards Warning! Combustible liquid. Causes skin irritation. Causes serious eye irritation. May

**Inhalation** Irritation, coughing, breathing shortness, chest tightness

cause respiratory irritation.

**Primary Routes of Entry** Skin, Eyes, Inhalation

Signs and Symptom of

Exposure

Skin contact Redness, inflammation

**Eve contact** Irritation, conjunctivitis

3.	COV	/IPOSI	FION / I	NFORM	ATION ON INGF	REDIENTS
		_			212	

Hazardous Component	Conc.	CAS	EINECS	ACGIH;TLV-TWA	OSHA PEL		
Ethyl-2-cyanoacrylate (Ethyl cyanoacrylate)	80 – 100%	7085-85-0	230-391-5	0.2 ppm TWA			
Silicones and siloxanes, dimethyl-reaction products with silica	1 – 10%	67762-90-7		10 mg/m <sup>3</sup> TWA (inhalable dust) 3 mg/m <sup>3</sup> TWA (respirable fraction)	15 mg/ m <sup>3</sup> TWA (total dust) 5 mg/m <sup>3</sup> TWA (respirable fraction)		
Acrylic polymer	1 -10%				4 mg/m <sup>3</sup> TWA (respirable dust) 10 mg/m <sup>3</sup> TWA (inhalable dust)		

## FIRST AID MEASURES

Skin contact

Do not pull bonded skin apart. It may be gently peeled apart using a blunt object such as a spoon, preferably after soaking in warm, soapy water. Cyanoacrylates give off heat on solidification. In rare cases, a large drop will generate enough heat to cause a burn. Burns should be treated normally after the adhesive has been removed from the skin. If lips are accidentally stuck together, apply warm water to the lips and encourage maximum wetting and pressure from saliva inside the mouth. Peel or roll lips apart. Do not try to pull the lips apart with direct opposing action.

Revision 0 Revision Date 11-May 2105

Eye contact If the eye is bonded closed, release eyelashes with warm water by covering with wet

pad. Cyanoacrylate will bond to eye protein and will cause periods of weeping which will help to debond the adhesive. Keep eye covered until debonding is complete, usually within 1-3 days. Do not force eye open. Medical advice should be sought in case solid particles of cyanoacrylate trapped behind the eyelid cause any abrasive damage. If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult physician.

Ingestion Ensure that breathing passages are not obstructed. The product will polymerize

immediately in the mouth making it impossible to swallow. Saliva will slowly separate the

solidified product from the mouth (several hours).

## 5. FIRE FIGHTING MEASURES

Extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Hazardous Product of

Combustion

Carbon oxides, nitrogen oxides (NOx)

Special Firefighting

**Procedures** 

Inhalation

Wear self-contained breathing apparatus for firefighting if necessary.

Unusual Fire/Explosion

Hazards

Use water spray to cool unopened containers.

Lower Explosive Limit

No data available / Not applicable
Upper Explosive Limit

No data available / Not applicable

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure

adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapors accumulating to form explosive concentrations. Vapors can

accumulate in low areas.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Clean-up methods Do not use cloths for mopping up. Flood with water complete polymerization and scrape

off the floor. Cured material can be disposed of as non-hazardous waste.

## 7. HANDLING AND STORAGE

Handling Ventilation (low level) is recommended when using large volumes. Use of dispensing

equipment is recommended to minimize the risk of skin or eye contact. Wash hands before work breaks and after finishing work. Do not eat, drink or smoke while working.

Good industrial hygiene practices should be observed.

Storage For optimum shelf life, store in containers under refrigerated conditions at 2-8°C (35.6 –

46.4°F)

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of the work day.

Respiratory protection Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator

cartridges as backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN

(EU).

Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal

technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Use impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the

dangerous substance at the specific workplace.

Revision 0 Revision Date 11-May 2105

Eye/face protection Safety glasses with side-shields conforming to EN166. Use equipment for eye protection

tested and approved under appropriate government standards such as NIOSH (US) or

EN166 (EU).

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colorless, Liquid

Odor Irritating

Boiling point / range 80°C (176°F)

Flash point No data available. / Not applicable.

pH No data available. / Not applicable.

Melting point / range No data available. / Not applicable.

Solubility in Water Polymerizes in the presence of water

Specific Gravity No data available. / Not applicable.

VOC (Wt.%)

Viscosity No data available. / Not applicable.

Vapor Pressure No data available. / Not applicable.

Density No data available. / Not applicable.

Flammability No data available. / Not applicable.

Evaporation rate No data available. / Not applicable.

## 10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Conditions to avoid Heat, flames and sparks.

Materials to avoid Reducing agents, water, amines, alcohols, alkali metals, oxidizing agents.

Hazardous decomposition No data available.

products

## 11. TOXICOLOGICAL INFORMATION

Product toxicity data Acute oral LD50 greater than 5,000 mg/kg (rat) (estimated)

Acute dermal LD50 greater than 2,000 mg/kg (rabbit) (estimated)

#### 12. ECOLOGICAL INFORMATION

No data available

## 13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations. Do not allow product to

enter drains. Do not empty into drains.

Disposal methods Dispose of in compliance with all local and national regulations. This combustible

material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contact a licensed waste disposal service to dispose of this material.

Disposal of packaging Empty containers can be sent to landfill after cleaning, if in compliance with local and

national regulations. Once the product residues adhering to the wall of the containers have been rendered harmless, the product and hazard labels must be invalidated.

Revision 0 Revision Date 11-May 2105

## 14. TRANSPORT INFORMATION

**DOT (49CFR 172)** 

## <u>US Department of Transportation – DOT – 49 CFR (Ground)</u>

Proper Shipping Name Combustible liquids, n.o.s. (Cyanoacrylate ester)

Hazard Class Combustible liquid Packaging Group III UN/ID Number NA 1993 Marine pollutant

Exceptions

IATA (Air)

Proper Shipping Name Aviation regulated liquid n.o.s (Cyanoacrylate ester).

Class or Division Class 9 Packaging Group III

UN/ID Number UN 3334

Exceptions Primary packs containing less than 500 ml are unregulated by this mode of transportation

and may be shipped unrestricted

**IMDG (Vessel)** 

Proper Shipping Name Not regulated Packaging Group None

Hazard Class None UN Number None

15. REGULATORY INFORMATION

SARA Section 302 EHS

No chemicals in this material are subject to the reporting requirements of SARA

Title III, Section 302.

Sara Sections 311/312 Fire Hazard, Acute Health Hazard, Chronic Health Hazard.

Sara Section 313 This product contains the following toxic chemicals subject to the reporting

requirements of section 313 of the Emergency Planning and Community Right-To-

Know Act of 1986 (40 CFR 372): None

California Proposition 65 This product contains a chemical known to the State of California to cause cancer,

birth defects or other reproductive harm.

TSCA 8 (b) Inventory Status All components of this product are listed (or exempt) on the EPA TSCA Inventory.

TSCA 12 (b) Export Notifications None above the reporting De Minimis.

Canada Regulatory Information

WHMIS hazard class

## 16. OTHER INFORMATION

Estimated HMIS HEALTH, FLAMMABILITY, REACTIVITY HAZARD

Classification

(HMIS is a registered trademark of the National Paint and Coatings Association)

Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe

use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication; however, no guarantee is made to it accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

# Barristo Enterprises, Inc., dba SureHold.

## SAFETY DATA SHEET

## **Super Repair Instant Adhesive Part B**

## IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

**Product Name** Super Repair Instant Adhesive Part B, Activator

Part Number 90110

Barristo Enterprises, Inc. dba SureHold Company

3717 N Ravenswood Avenue, Suite 243

Chicago, IL 60613 info@surehold.com www.surehold.com

Telephone + 773-472-8592; Toll Free 800-881-4495

Fax + 773-525-1750

Emergency telephone

800-881-4495 number

## 2. HAZARDS IDENTIFICATION

Warning! Causes serious eye irritation. Main hazards

Primary Routes of Entry Skin, Eyes, Inhalation

Signs and Symptom of

Inhalation no known effects Exposure Skin contact no known effects

Eye contact no known effects

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component	Conc.	CAS	<b>EINECS</b>	ACGIH;TLV-TWA	OSHA PEL
Silicones and siloxanes, dimethyl-reaction products with silica	1 – 10%	67762-90-7		10 mg/m <sup>3</sup> TWA (inhalable dust) 3 mg/m <sup>3</sup> TWA	15 mg/ m <sup>3</sup> TWA (total dust) 5 mg/m <sup>3</sup> TWA
with Silica				(respirable fraction)	(respirable fraction)
Silicic acid, calcium salt (crystalline)	1 – 4%	1344-95-2	215-710-8	10 mg/m <sup>3</sup> TWA	15 mg/ m <sup>3</sup> TWA (total dust) 5 mg/m <sup>3</sup> TWA (respirable fraction)

## 4. FIRST AID MEASURES

Skin contact No known effects Eye contact No known effects No known effects Inhalation Ingestion No known effects

## 5. FIRE FIGHTING MEASURES

Extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Revision 0 Revision Date 11-May 2105

Hazardous Product of

Combustion

None known.

Special Firefighting

No data available. / Not applicable.

Procedures

Unusual Fire/Explosion

Hazards

None known.

Lower Explosive Limit
Upper Explosive Limit
No data available. / Not applicable.
No data available. / Not applicable.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions No data available. / Not applicable.

Environmental precautions No adverse effects for the environment are known.

Clean-up methods For small spills, wipe up with paper towel and place in container for disposal.

For large spills, absorb onto inert absorbent material and place in sealed container for

disposal.

## 7. HANDLING AND STORAGE

Handling No data available. / Not applicable.

Storage No data available. / Not applicable.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of the work day.

Respiratory protection No special protection is needed.

Skin protection No special protection is needed.

Eye/face protection No special protection is needed.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance White, Liquid

Odor Characteristic

Boiling point / range No data available. / Not applicable.

Flash point < 160°C (320°F)

pH No data available. / Not applicable.

Melting point / range No data available. / Not applicable.

Solubility in Water No data available. / Not applicable.

Specific Gravity No data available. / Not applicable.

VOC (Wt.%)

Viscosity No data available. / Not applicable.

Vapor Pressure No data available. / Not applicable.

Revision 0 Revision Date 11-May 2105

Density No data available. / Not applicable.

Flammability No data available. / Not applicable.

Evaporation rate No data available. / Not applicable.

#### 10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Conditions to avoid No data available. / Not applicable.

Materials to avoid No data available. / Not applicable.

Hazardous decomposition No data available. / Not applicable.

products

## 11. TOXICOLOGICAL INFORMATION

Product toxicity data Acute oral LD50 No data available. / Not applicable.

Acute dermal LD50 No data available. / Not applicable.

#### 12. ECOLOGICAL INFORMATION

No data available

## 13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations. Do not allow product to

enter drains. Do not empty into drains.

Disposal methods Dispose of in compliance with all local and national regulations.

Disposal of packaging Dispose of as unused product.

## 14. TRANSPORT INFORMATION

## **DOT (49CFR 172)**

#### <u>US Department of Transportation – DOT – 49 CFR (Ground)</u>

Proper Shipping Name Not regulated

Hazard Class None Packaging Group None

UN/ID Number None Marine pollutant

Exceptions

#### IATA (Air)

Proper Shipping Name Not regulated

Class or Division None Packaging Group None

UN/ID Number None

Exceptions

## **IMDG (Vessel)**

Proper Shipping Name Not regulated Packaging Group None

Hazard Class None UN Number None

## 15. REGULATORY INFORMATION

SARA Section 302 EHS No chemicals in this material are subject to the reporting requirements of SARA

Title III, Section 302.

Sara Sections 311/312 None

Sara Section 313 This product contains the following toxic chemicals subject to the reporting

Revision 0 Revision Date 11-May 2105

requirements of section 313 of the Emergency Planning and Community Right-To-

Know Act of 1986 (40 CFR 372): None

California Proposition 65 This product contains a chemical known to the State of California to cause cancer,

birth defects or other reproductive harm.

TSCA 12 (b) Export Notifications

None above the reporting De Minimis.

Canada Regulatory Information WHMIS hazard class

## 16. OTHER INFORMATION

Estimated HMIS HEALTH , FLAMMABILITY REACTIVITY HAZARD

Classification

(HMIS is a registered trademark of the National Paint and Coatings Association)

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication; however, no guarantee is made to it accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.