Barristo Enterprises, Inc., dba SureHold.

SAFETY DATA SHEET

Super Repair for Metal Instant Adhesive Part A

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product Name	Super Repair for Metals Instant Adhesive Part A, Adhesive				
Part Number	90120				
Company	Barristo Enterprises, Inc. dba SureHold 3717 N Ravenswood Avenue, Suite 243 Chicago, IL 60613 <u>info@surehold.com</u> www.surehold.com				
Telephone	+ 773-472-8592	2; Toll Free 800)-881-4495		
Fax	+ 773-525-1750	+ 773-525-1750			
Emergency telephone number	800-881-4495	800-881-4495			
2. HAZARDS IDENTIF	ICATION				
Main hazards	Warning. Flammable liquid. Causes eye and skin irritation. May cause respiratory irritation.				
Primary Routes of Entry	Eyes, Skin, Inhalation				
Signs and Symptom of Exposure	<u>Inhalation</u> – irritation, coughing, breath shortness, chest tightness <u>Skin contact</u> – redness, inflammation <u>Eye contact</u> – irritation, conjunctivitis				
3. COMPOSITION / IN	IFORMATION	ON INGREI	DIENTS		
Hazardous Component	Conc.	CAS	EINECS	ACGIH;TLV-TWA	OSHA PEL
Ethyl 2-cyanoacrylate	80 – 100%	7085-85-0	230-391-5	0.2 ppm TWA	
Silicones and siloxanes, dimethyl-reaction products with silica	1 – 10%	67762-90-7		10 mg/m ³ TWA (inhalable dust) 3 mg/m ³ TWA (respirable fraction)	15 mg/ m ³ TWA (total dust) 5 mg/m ³ TWA (respirable fraction)
Acrylic polymer	1 -10%				4 mg/m ³ TWA (respirable dust) 10 mg/m ³ TWA (inhalable dust)

4. FIRST AID MEASURES

Skin contact

Do not pull bonded skin apart. It may be gently peeled apart using a blunt object such as a spoon, preferably after soaking in warm, soapy water. Cyanoacrylates give off heat on solidification. In rare cases a large drop will generate enough heat to cause a burn. Burns should be treated normally after the adhesive has been removed from the skin. If lips are accidentally stuck together, apply warm water to the lips and encourage maximum wetting and pressure from saliva inside the mouth. Peel or roll lips apart. Do not try to pull the lips apart with direct opposing action.

Eye contact	If the eye is bonded closed, release eyelashes with warm water by covering with wet pad. Cyanoacrylate will bond to eye protein and will cause periods of weeping which will help to debond the adhesive. Keep eye covered until debonding is complete, usually within 1-3 days. Do not force eye open. Medical advice should be sought in case solid
Inhalation	particles of cyanoacrylate trapped behind the eyelid cause any abrasive damage. If breathed in, move person to fresh air. If not breathing, give artificial respiration. Consult physician.
Ingestion	Ensure that breathing passages are not obstructed. The product will polymerize immediately in the mouth making it impossible to swallow. Saliva will slowly separate the solidified product from the mouth (several hours).
5. FIRE FIGHTING ME	
Extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Hazardous Product of Combustion	Carbon oxides, nitrogen oxides (NOx)
Special Firefighting Procedures	Wear self-contained breathing apparatus for firefighting if necessary.
Unusual Fire/Explosion Hazards	Use water spray to cool unopened containers.
Lower Explosive Limit	No data available / Not applicable
Upper Explosive Limit	No data available / Not applicable
6. ACCIDENTAL REL	EASE MEASURES
Personal precautions	Ensure adequate ventilation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Clean-up methods	Do not use cloths for mopping up. Flood with water complete polymerization and scrape off the floor. Cured material can be disposed of as non-hazardous waste.
7. HANDLING AND S	TORAGE
Handling Storage	Ventilation (low level) is recommended when using large volumes. Use of dispensing equipment is recommended to minimize the rise of skin or eye contact. Wash hands before work breaks and after finishing work. Do not eat, drink or smoke while working. Good industrial hygiene practices should be observed. For optimum shelf life, store in original containers under refrigerated conditions at 2-8°C
	(35.6 – 46.4°F)
8. EXPOSURE CONT	ROLS / PERSONAL PROTECTION
Engineering controls	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the work day.
Respiratory protection	Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respiratory cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN
Skin protection	(EU). Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Use impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Eye/face protection	Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166 (EU).		
9. PHYSICAL AND CI	HEMICAL PROPERTIES		
Appearance	Colorless, Liquid		
Odor	Irritating		
Boiling point / range	80°C (176°F)		
Flash point	No data available. / Not applicable.		
рН	No data available. / Not applicable.		
Melting point / range	No data available. / Not applicable.		
Solubility in Water	Polymerizes in the presence of water		
Specific Gravity	No data available. / Not applicable.		
VOC (Wt.%)			
Viscosity	No data available. / Not applicable.		
Vapor Pressure	No data available. / Not applicable.		
Density	No data available. / Not applicable.		
Flammability	No data available. / Not applicable.		
Evaporation rate	No data available. / Not applicable.		
10. STABILITY AND F	REACTIVITY		
Stability	Stable under recommended storage conditions.		
Conditions to avoid	Heat, flames and sparks.		
Materials to avoid	Reducing agents, water, amines, alcohols, alkali metals, oxidizing agents.		
Hazardous decomposition products	No data available.		

11. TOXICOLOGICAL INFORMATION Product toxicity data Acute oral LD50 gr

Acute oral LD50 greater than 5,000 mg/kg (rat) (estimated) Acute dermal LD50 greater than 2000 mg/kg (rabbit) (estimated)

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

General information	Dispose of in compliance with all local, state and federal regulations. Do not allow
	product to enter drains. Do not empty into drains.
Disposal methods	Dispose of in compliance with all local, state and federal regulations.
Disposal of packaging	Empty containers can be disposed of as unused product.

14. TRANSPORT INFORMATION

DOT (49CFR 172)

US Department of Transportation – DOT – 49 CFR (Ground)

Proper Shipping Name	Combustible liquids, n.o.s. (Cyanoacrylate ester)		
Hazard Class	Combustible liquid	Packaging Group	III
UN/ID Number Exceptions	NA 1993 (Not more than 450 Liters)	Unrestricted	

<u>IATA (Air)</u>

Proper Shipping Name	Aviation regulated liquid n.o.s (Cyanoacrylate ester).	
Class or Division UN/ID Number		ackaging Group III
Exceptions	Primary packs containing less than 500 ml are unregulated by this mode of transportation and may be shipped unrestricted.	

IMDG (Vessel)

Proper Shipping Name	Not regulated	Packaging Group	None
Hazard Class	None		
UN Number	None		
15. REGULATORY I	NFORMATION		
SARA Section 302 EHS	No chemicals		the reporting requirements of SARA

SARA Section 302 En S	Title III, Section 302.
Sara Sections 311/312	Fire Hazard, Acute Health Hazard, Chronic Health Hazard
Sara Section 313	This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372): None
California Proposition 65	This product contains a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.
TSCA 8 (b) Inventory Status	All components of this product are listed (or exempt) on the EPA TSCA Inventory.
TSCA 12 (b) Export Notifications	None above the reporting De Minimis.
Canada Regulatory Information	

WHMIS hazard class

16. OTHER INFORMATION

Estimated HMIS HEALTH , FLAMMABILITY , REACTIVITY HAZARD

Classification

(HMIS is a registered trademark of the National Paint and Coatings Association)

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication; however, no guarantee is made to it accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Barristo Enterprises, Inc., dba SureHold_®

SAFETY DATA SHEET

Super Repair for Metals Instant Adhesive Part B

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product Name	Super Repair for Metals Instant Adhesive Part B, Activator				
Part Number	90120				
Company	Barristo Enterprises, Inc. dba SureHold 3717 N Ravenswood Avenue, Suite 243 Chicago, IL 60613 <u>info@surehold.com</u> <u>www.surehold.com</u>				
Telephone	+ 773-472-8592	; Toll Free 800)-881-4495		
Fax	+ 773-525-1750				
Emergency telephone number	800-881-4495				
2. HAZARDS IDENTIF	ICATION				
Main hazards	Not a hazardous	s substance or	mixture.		
Primary Routes of Entry	N/A				
Signs and Symptom of Exposure	<u>Inhalation</u> – none known <u>Skin contact</u> – none known <u>Eye contact</u> – none known Ingestion - none known				
3. COMPOSITION / INFORMATION ON INGREDIENTS					
Hazardous Component Silicones and siloxanes, dimethyl-reaction products with silica	Conc. 1 – 10%	CAS 67762-90-7	EINECS	ACGIH;TLV-TWA 10 mg/m ³ TWA (inhalable dust) 3 mg/m ³ TWA (respirable fraction)	OSHA PEL 15 mg/ m ³ TWA (total dust) 5 mg/m ³ TWA (respirable fraction)
4. FIRST AID MEASU	RES				
Skin contact	No known effect	ts			
Eye contact	No known effects				
Inhalation	No known effects				
Ingestion	No known effects				
5. FIRE FIGHTING ME	5. FIRE FIGHTING MEASURES				
Extinguishing media	Use water spray	v, alcohol-resis	stant foam, d	ry chemical or carbon o	dioxide.

Extinguishing media

Hazardous Product of Combustion	None known.
Special Firefighting Procedures	No data available. / Not applicable.
Unusual Fire/Explosion Hazards	None known.
Lower Explosive Limit Upper Explosive Limit	No data available. / Not applicable. No data available. / Not applicable.
6. ACCIDENTAL REL	EASE MEASURES
Personal precautions	No data available. / Not applicable.
Environmental precautions	No adverse effects for the environment are known.
Clean-up methods	For small spills, wipe up with paper towel and place in container for disposal. For large spills, absorb onto inert absorbent material and place in sealed container for disposal.
7. HANDLING AND S	TORAGE
Handling	No data available. / Not applicable.
Storage	No data available. / Not applicable.
8. EXPOSURE CONT	ROLS / PERSONAL PROTECTION
Engineering controls	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the work day.
Respiratory protection	No special protection is needed.
Skin protection	No special protection is needed.
Eye/face protection	No special protection is needed.
9. PHYSICAL AND CH	HEMICAL PROPERTIES

Grey, Liquid	
Characteristic	
No data available. / Not applicable.	
< 160°C (320°F)	
No data available. / Not applicable.	
No data available. / Not applicable.	
No data available. / Not applicable.	
No data available. / Not applicable.	
No data available. / Not applicable.	
No data available. / Not applicable.	
No data available. / Not applicable.	

Flammability	No data available. / Not applicable.
,	

Evaporation rate No data available. / Not applicable.

10. STABILITY AND REACTIVITY

	NEODMATION
Hazardous decomposition products	No data available. / Not applicable.
Materials to avoid	No data available. / Not applicable.
Conditions to avoid	No data available. / Not applicable.
Stability	Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Product toxicity data

No data available. / Not applicable.

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

General information	Dispose of in compliance with all local and national regulations. Do not allow product to enter drains. Do not empty into drains.
Disposal methods	Dispose of in compliance with all local and national regulations.
Disposal of packaging	Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (49CFR 172)

US Department of Transportation – DOT – 49 CFR (Ground)

Proper Shipping Name	Not regulated		
Hazard Class	None	Packaging Group	None
UN/ID Number Exceptions	None		

IATA (Air)

Proper Shipping Name Class or Division UN/ID Number	None	Packagir	ng Group	None
Exceptions				

IMDG (Vessel)

Proper Shipping Name	Not regulated	Packaging Group	None
Hazard Class	None		
UN Number	None		
15. REGULATORY I	NFORMATION		

15. REGULATORY INFO	ORMATION
SARA Section 302 EHS	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
Sara Sections 311/312	None
Sara Section 313	This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372): None

California Proposition 65

TSCA 8 (b) Inventory Status TSCA 12 (b) Export Notifications

This product contains a chemical known to the State of California to cause cancer, birth defects or other reproductive harm. All components of this product are listed (or exempt) on the EPA TSCA Inventory. None above the reporting De Minimis.

Canada Regulatory Information

WHMIS hazard class

Further information

16. OTHER INFORMATION

Estimated HMIS HEALTH, FLAMMABILITY REACTIVITY HAZARD Classification

(HMIS is a registered trademark of the National Paint and Coatings Association)

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication; however, no guarantee is made to it accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.